# Working with Parameters Stratum.Viewer 7

**Getting Started** 

- <u>Access to Parameters</u>
- Introduction to Parameters
- Quick Start Adding
   Parameters

### Tasks

- Add a Parameter
- Add a Parameter Group
- Delete a Parameter Group or Parameter
- Edit a Parameter
- Edit a Parameter Group
- Edit the Order of Parameter Groups or Parameters
- Run a View with Parameters



### **Additional Information**

#### Windows

- Advanced Select Members
   Window
- Properties Windows for:
- Parameter Groups and Parameters
- Presentation
- Select Members Window
- View Explorer
- <u>View Prompt Window</u>

#### **Advanced Concepts**

- How Parameter Display Text
   Interacts with Other Settings
- <u>Prompting Users to Choose the</u> <u>View Presentation Format</u>
- Passing Member Filters Or Stratum Parameter Filters Into Views Via URL's
- <u>Removing Parameters While</u> <u>Performing a "Save As"</u>
- Syntax For Customizing URL's
   Used To Share Views
- Legacy Syntax For Stratum View URL's

# **Getting Started**

# **Access to Parameters**

Your user profile level controls what you can do with parameters.

User Profile Level	Add	Edit	Delete	Run Views with Parameters
Casual	*	*	*	4
Advanced	>	-	*	4
View Administrator	>	>	*	*
Security Administrator	>	~	~	~

## **Introduction to Parameters**

Attaching parameters to levels in a view gives users the power to choose which members will display in the view prior to its execution. When users run a view defined with parameters, the <u>View Prompt window</u> will display and prompt users to select values for the impacted levels. You also can set up views such that users are prompted to select the presentation format before the view runs. Setting that property to Yes will display a Presentation section in the View Prompt window. Users can choose to run the view in the traditional grid format or to have view results open in an MS Excel file.

A single parameter group with up to four types of parameters each can be defined for each level in the view. The types of parameters available are:

- **Select Members** users will click a filter icon, which opens the <u>Select</u> or <u>Advanced Select Members</u> window. They can search for and select one or more members to include or exclude from the view.
- User List users will click a filter icon, which opens the Select User List Filter window. They can choose a user list for filtering a level.
- Drop Down users will select a member from a drop-down list.
- **Expression** users will click a filter icon to open the Expression window. They can set up an expression to determine filter criteria for a level.

All four types of parameters have an option of Include or Exclude. The "Include" option means the applied parameter filter returns only the members specified by the filter selections/criteria. "Exclude" means the applied parameter filter returns all members **except** the ones specified by the filter selections/criteria.

You have the flexibility to make parameters required or optional and to set up a pre-defined value for some parameters that users can either accept or override by making a different selection. Stratum.Viewer role security is applied when users select values for a parameter.

The following view is shown in the definition stage. The user who is setting up the view has defined parameter groups for the RepBroker Type and Product Category levels. The first group is required. This means the user will need to select a parameter value for the RepBroker Type level before the view will be executed. The user also set the Presentation properties of Format to Viewer and Prompt to Yes. The user who runs the view can either leave the view set to run in the Viewer mode, which is the grid format, or can change the Presentation option to Excel to see results in an MS Excel file.

★ Sales Cost Trend Last 3 Yrs					
	View Explorer	x			
	$\odot \ominus \times$				
	> ]] Sales Cost Trend Last 3 Yrs	$\sim$			
	> 🎉 🗆 Parameter Groups				
	RepBroker Type Group				
	RepDropDownParameter				
	Product Category Group				
	ProdCatUserListParameter				
Run View	ProdCatMemberParameter	J			
	Grid				
	> Broduct Category				
	→ 🖄 🗌 Product Family				
	✓ <sup>1</sup> <sup>2</sup> → □ Product Brand				
	> 🕌 🗆 Columns				
	✓ ↓ □ RepBroker Type	$\sim$			
	Properties - RepBroker Type Group	×			
	Name: RepBroker Type Group				
	Dimension: RepBroker				
	Hierarchy: RepBroker Type	<ul><li></li><li></li></ul>			
	Required: Yes	<ul><li>✓</li><li>✓</li></ul>			
	Requireu: Tes	•			

Here is the View Prompt window that displays when a user runs the view.

	VIEW PROMPT	x
Sales Cost Trend Last 3 Yrs - Parameters		
RepBroker Type Group		
Choose A RepBroker Type:	Include 🔽	~
Product Category Group		- 1
Apply A User List Filter Level:	Include 🔽	] <b>T</b>
○ Choose Product Category Members:	Include 🗸	T
Presentation		
Format: Viewer	v	
	OK Cancel	

The user chooses the Direct member for the first parameter group, which is required, and leaves it set to the default of Include. The user skips choosing values for the other parameter group and leaves the Presentation format set to Viewer.

	VIEW PROMPT	×
Sales Cost Trend Last 3 Yrs - Parameters		
RepBroker Type Group		
Choose A RepBroker Type:	Include V Direct	~
Product Category Group		
Apply A User List Filter Level:	Include 🔽	T
Choose Product Category Members:	Include 🗸	т
Presentation		
Format: Viewer	v	
	OK Cancel	

Here is the executed view, with the RepBroker Type level filtered by the selected member. Results show in the grid format. If the user had selected Excel in the Presentation section of the View Prompt window, then view results would have opened as an MS Excel worksheet.

	★ Sales Cost Trend Last 3 Yrs					
	🔒 😥 🕅 🚔 🍙 📊 🔍 💡 🔯 🔍 🍸 🛂 🕜 80081 to 24 of 24 🗘 80001 to 4 of 4					
Rows:	:: <u>Pr</u>	oduct Category: All × > II Prod	uct Family: All ×	Product Brand ×	+	
Columns:	ii Re	epBroker Type: Filtered ×	+			
View Filter:	<b>T</b>	tered With Members: rect				
		RepBroker Type	Direct			
Product Cate	gory	Product Family	Sales Units Last 3 Yrs	Sales Freight Cost Last 3 Yrs	Sales Ext Handling Cost Last 3 Yrs	Daily Sales Last 3 Yrs
Fresh Vegetables	s	Tender Vegetables	14,640,240	\$10,696,648	\$235,093,794	154,929
		Hardy Vegetables	11,232,358	\$6,951,462	\$98,572,273	102,730
		Fresh Vegetables Total	25,872,598	\$17,648,110	\$333,666,067	257,660
Canned Fruit		Fruit Fillings	27,156,554	\$55,795,092	\$286,749,281	241,760
		Applesauce	19,357,621	\$42,657,865	\$251,323,027	146,305
		Specialty Canned Fruit	17,203,965	\$45,624,928	\$171,301,013	135,753
		Fruit Cocktail	27,389,074	\$64,739,980	\$319,058,190	182,059
		Peaches	34,494,637	\$83,224,308	\$343,899,364	282,172
		Pears	17,569,863	\$43,009,451	\$196,259,411	123,278
		Pineapple	23,788,200	\$47,076,637	\$250,173,500	151,887
		Canned Fruit Total	166,959,915	\$382,128,259	\$1,818,763,787	1,263,214
Dork		Freeh Dork	7 703 404	\$7 161 634	\$137.060.004	\$4.504

## **Quick Start - Adding Parameters**

Here are the key steps for adding parameters. You need to set up a parameter group and then add parameters to it.

fiew Explorer	×
$\bigcirc \bigcirc \times$	
> 鷆 Product Current Wk Amount & Units	
>	
Add Product Brand Parameters	
DropDownListParameter	
> 鷆 🗌 Grid	
🗸 퉬 🗌 Rows	
🍌 🗆 Columns	
> 퉬 🗌 View Filter	
✓ 12, □ Product Brand	
✓ <sup>1</sup> ∠, □ Region	
> 🏭 🗌 Measure Items	


2

# Set up the parameter group properties.

Properties to set up include the group name, what level to use for the group, and specifying whether users will be required to use a parameter from this group when they run the view and are presented with the <u>View Prompt window</u>.

Properties	- Region Parameters	x
Name:	Region Parameters	
Dimension:	Region	
Hierarchy:	Region	~
Level:	Region	~
Required:	No	~

# Right-click the parameter group name, and select Add.



# Set up the properties for the parameter.

Properties to set up include the parameter type (members, user list, drop down, expression), prompt text, filter mode, and optionally a default parameter value.

3

4

View Explore	r	x
⊛⊝×		
> ]] Prodcu	t Current Wk Amount & Units	
> ]] 🛛	Parameter Groups	
> •	Product Brand Parameters	
	DropDownListParameter	
> •	Region Parameters	
	MembersParameter	
> ] 📔 🗆	] Grid	
~ 🔋	Rows	
v 🎴	Columns	
> 🔒	View Filter	
~	🕰 🗌 Product Brand	
	얺. 🗌 Region	~
Properties - N	1embersParameter	x
Name:	MembersParameter	
Type:		$\checkmark$
Prompt:	Choose one or more region:	=
Filter Mode:	Include	~
Default Value:	331	x
Display Text:	View	~

5

Repeat Steps 3 and 4 if you want to add additional types of parameters to the group, then apply all your additions using the Apply Changes prompt.

Apply C	hanges?
ОК	Cancel

# Tasks

# Add a Parameter

- 1. If you haven't done so already, add a parameter group to which the parameter will belong.
- 2. Right-click the parameter group, and click Add.
- 3. Enter a name for the parameter in the properties window that displays.
- 4. Select a parameter type, either Select Members, User List, Drop Down, or Expression.
- 5. Enter a text prompt that instructs the user what to do with the parameter. For example, you could enter text such as *Choose a user list:* for a user list parameter.
- 6. Choose a Filter Mode. The "Include" option means the applied parameter filter returns only the members specified by your filter selections/criteria. "Exclude" means the applied parameter filter returns all members **except** the ones specified by your filter selections/criteria.
- 7. {Optional} Customize the Display Text property for the parameter. See <u>How Parameter Display Text Interacts</u> with <u>Other Settings</u> for more details and examples.
  - View This is the default Display Text selection for all parameter types. Setting this to view means that you want the applicable drop-down list or Select/Advanced Select Members windows for the parameter to display based on the display text setting for the associated level in the view.
  - Value or Attribute Relationship Setting the Display Text to a specific attribute (either value or attribute relationship) means that you want the applicable drop-down list or Select/Advanced Select Member windows for the parameter to display using the selected attribute.

**Note:** Administrative settings in the Select Members Options window can override the parameter Display Text property.

8. Click the Browse button 🔤 to specify a default value for the parameter. Use the filtering window that displays to choose a default member(s), user list, or expression.

### Note: Specifying a default parameter is optional in most cases. It is required if you did not enter a prompt in Step 5.

9. {Optional} Repeat Steps 2 to 8 to add other types of parameters to the group.

# Add a Parameter Group

- 1. Right-click the Parameter Groups folder in view explorer, and select Add.
- 2. Enter a name for the group in the properties window that displays.
- 3. Select the hierarchy and then level for the group.
- 4. Use the Required property to determine if users will be required to specify a parameter for the group when they run the view and are presented with the View Prompt window.
  - Yes will require a parameter to be specified.

- No will allow users to bypass specifying a parameter for the group.
- 5. You can now add one or more parameters to the group. See Add a Parameter.

## **Delete a Parameter Group or Parameter**

- 1. In view explorer, select the checkbox for each parameter group or parameter you need to delete.
- 2. Click the Delete Items icon  $\times$  at the top of view explorer.

### **Edit a Parameter**

- 1. In view explorer, navigate to the parameter group for the parameter.
- 2. Right-click the parameter, and select Properties.
- 3. Change properties such as the name, prompt, filter mode, or default value in the properties window.

Note: If you need to edit the order of parameters within a group, use drag and drop in view explorer.

## Edit a Parameter Group

- 1. Right-click the parameter group in view explorer, and select Properties.
- 2. Change properties in the properties window that displays.

**Note:** If you need to add or edit parameters within a group, see <u>Edit a Parameter</u> or <u>Edit the Order of Parameter</u> <u>Groups or Parameters</u>.

# Edit the Order of Parameter Groups or Parameters

Use drag and drop to edit the order of parameter groups and order of parameters within each group. This can be done in <u>view explorer</u>. Dropping one group onto another will position the dropped grouped after that other group. Dropping a parameter on another will position the dropped parameter after that other parameter.

# **Run a View with Parameters**

A <u>View Prompt window</u> displays when you run a view that has parameters:

- 1. Select a parameter for a parameter group.
- 2. Choose a value(s) using the provided drop-down list or filter icon and determine if the filter mode for the parameter will be Include or Exclude.
  - "Include" means the applied parameter filter returns only the members specified by your filter selections/criteria. "Exclude" means the applied parameter filter returns all members *except* the ones specified by your filter selections/criteria.
  - There will be a drop-down list for Drop Down parameters. Select a member.
  - There will be a filter icon for other parameter types:
    - Select Members icon opens the <u>Select</u> or <u>Advanced Select Members window</u>. Search for and select one or more members then click OK.

    - **Expression** icon opens the Expression window. Set up an expression and click OK.
- 3. The selected value(s) will display in the parameter field.
- 4. Repeat Steps 1 and 2 for any additional parameters groups that display in the window.
- 5. If there is a Presentation section in the View Prompt window, select the type of format to run view results in -- either Viewer or Excel.
- 6. Click OK.

#### OR

1. If default values already display in a parameter's field, you can run the view with the defaults by selecting that parameter for its group and clicking OK. Once you make selections for a parameter, the filter selections you made will display in the parameter's field the next time you reopen the window. Running the view again, such as from the Stratum View Pane, resets the window to its default values.

# Windows

# Advanced Select Members Window

	Advanced Select Members	: UPC GLOBAL NUMBER	×
apple	×Q	Search By: UPC Long Description	Starts with
UPC Long Description	UPC Global Number	UPC ABC Classification	
Apple Filling 106oz BR*	0 - 24000 - 12422 - 4	B	Add
Apple Filling 106oz PL*	0 - 24000 - 12529 - 4	A	Add All
Apple Filling 12oz BR*	0 - 24000 - 12522 - 4	в	
Apple Filling 12oz PL*	0 - 24000 - 12429 - 4	A ()	
Apples Red Delicious	0 - 39484 - 92837 - 1	в	
1 to 5 of 5   ◀ ◀ 1 ▶ ▶			
UPC Long Description 🔺	UPC Global Number	UPC ABC Classification	
Applesauce 106oz BR*	0 - 24000 - 12430 - 4	A	Clear
Applesauce 106oz PL*	0 - 24000 - 12431 - 4	A	Clear All
Applesauce 12oz BR*	0 - 24000 - 12530 - 4	<u>,</u> (3)	4 Selected
Applesauce 12oz PL*	0 - 24000 - 12531 - 4	A 💙	
1 to 4 of 4   ◀ ◀ 1 ▶ ▶			
		-	
	OK Cancel	More 4	Help
	OK Calicel	More	пеір
Use the search prope	erties to specify the criteria	and the parameters by which to sea	rch for members
	nber list. That list can be us	sed as a level filter, to create a user	list, or to help
build an expression.			
Noto: The window al	so is used when administra		
Note. The window as		itors set up roles.	
	0		
Click the search icon	after you specify your	search properties:	
		e values can be entered by separati	
semicolon. If	the field is left blank, the a	vailable list displays all members for	the active level.
		n lists. The first list is to select the at	
		lets you choose whether you want y	
	contain, start with, be equal cified in the search.	to, not equal to, greater than, or les	s man me
		long descriptions starting with "analy	" and 5 items
were retrieved.	ple, we searched for UPC	long descriptions starting with "apple	e and o liems

		Advanced Select Members	S: UPC GLOBAL NUMBER	×
	apple	×Q	Search By: UPC Long Description	✓ Starts with ✓
	UPC Long Description	UPC Global Number	UPC ABC Classification	
	Apple Filling 106oz BR*	0 - 24000 - 12422 - 4 0 - 24000 - 12529 - 4	В А	Add Add All
	Apple Filling 12oz BR*	0 - 24000 - 12522 - 4	в	
	Apple Filling 12oz PL*	0 - 24000 - 12429 - 4	А	
	☐ Apples Red Delicious 1 to 5 of 5    ◀ ◀ 1 ▶ ▶	0 - 39484 - 92837 - 1	В	
2		Add to move the selecte	mbers returned by your search d members to the bottom porti er selections.	
	<ul> <li>members to a filter a</li> <li>Click the checkbox in list at once.</li> <li>Use Shift+Click as a</li> </ul>	and close the window. n the heading area to se	window then clicking OK will a elect or deselect all members o range of consecutive members	on all pages in the
	ABC Classification column a	nd dragged it to the firs	I. In the following example, we t position. We also clicked the	
		nd dragged it to the firs	t position. We also clicked the	Sort icon and
	ABC Classification column a	nd dragged it to the firs iding to descending.	t position. We also clicked the	Sort icon and
	ABC Classification column a changed the sort from ascen	Ind dragged it to the firs ading to descending.           Advanced Select Member           Q	t position. We also clicked the <b>: UPC GLOBAL NUMBER</b> Search By: UPC Long Description	Sort icon and
	ABC Classification column a changed the sort from ascen	INDERCEMPTION OF CONTRACT OF CONTRACTON OF CONTRACT OF CONTRACTON OF CONTRACT	t position. We also clicked the <b>SEUPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number	Sort icon and
	ABC Classification column a changed the sort from ascent apple	Ind dragged it to the first ading to descending. ADVANCED SELECT MEMBER Q UPC Long Description Apple Filling 106oz BR*	t position. We also clicked the s: UPC GLOBAL NUMBER Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4	Sort icon and
	ABC Classification column a changed the sort from ascen	INDERCEMPTION OF CONTRACT OF CONTRACTON OF CONTRACT OF CONTRACTON OF CONTRACT	t position. We also clicked the <b>SEUPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number	Sort icon and
	ABC Classification column a changed the sort from ascent apple	Ind dragged it to the first ading to descending. ADVANCED SELECT MEMBER Q UPC Long Description Apple Filling 106oz BR* Apple Filling 12oz BR*	t position. We also clicked the <b>SEUPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1	Sort icon and
	ABC Classification column a changed the sort from ascent apple	Ind dragged it to the first ading to descending. Advanced Select Member Q UPC Long Description Apple Filling 106oz BR* Apple Filling 12oz BR* Apples Red Delicious	t position. We also clicked the <b>SEUPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1	Sort icon and
	ABC Classification column a changed the sort from ascent apple UPC ABC Classification ▼ B B B B B A 1 to 5 of 5  4 4 1 ▶ ↓] Use the paging arrows and b	Ind dragged it to the first ading to descending. ADVANCED SELECT MEMBER Q UPC Long Description Apple Filling 106oz BR* Apple Filling 12oz BR* Apples Red Delicious Apple Filling 106oz PL* Apple Filling 12oz PL* inks at the bottom of the	t position. We also clicked the Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1 0 - 24000 - 12529 - 4	Sort icon and
	ABC Classification column a changed the sort from ascent apple UPC ABC Classification B B B B B A 1 to 5 of 5   4 4 1 > >  Use the paging arrows and It Selections made on various	Ind dragged it to the first ading to descending. ADVANCED SELECT MEMBERS Q UPC Long Description Apple Filling 106oz BR* Apples Red Delicious Apple Filling 106oz PL* Apple Filling 12oz PL* inks at the bottom of the pages are retained as y isplay lists (views, user	t position. We also clicked the <b>: UPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1 0 - 24000 - 12529 - 4 0 - 24000 - 12429 - 4 e list to move between pages of you move between pages in the lists, etc.), there is a single address of the second seco	Sort icon and
3	ABC Classification column a changed the sort from ascent apple UPC ABC Classification B B B B B B A A 1 to 5 of 5  4 4 1 > >  Use the paging arrows and li Selections made on various Note: For all windows that d on the Application window the	Ind dragged it to the first ading to descending. ADVANCED SELECT MEMBERS Q UPC Long Description Apple Filling 106oz BR* Apple Filling 12oz BR* Apples Red Delicious Apple Filling 106oz PL* Apple Filling 12oz PL* inks at the bottom of the pages are retained as y isplay lists (views, user nat controls the page size members selected for the	t position. We also clicked the <b>: UPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1 0 - 24000 - 12529 - 4 0 - 24000 - 12429 - 4 e list to move between pages of you move between pages in the lists, etc.), there is a single address. the member list. A count under the	Sort icon and
3	ABC Classification column a changed the sort from ascent upc ABC Classification B B B B B B A 1 to 5 of 5   4 1 ) ) Use the paging arrows and li Selections made on various Note: For all windows that d on the Application window the Selected list - displays the r indicates how many member	Ind dragged it to the firs ading to descending. ADVANCED SELECT MEMBERS Q UPC Long Description Apple Filling 106oz BR* Apple Filling 12oz BR* Apples Red Delicious Apple Filling 106oz PL* Apple Filling 12oz PL* inks at the bottom of the pages are retained as y isplay lists (views, user hat controls the page sizes members selected for the rs are included in the members ockboxes next to members	t position. We also clicked the <b>: UPC GLOBAL NUMBER</b> Search By: UPC Long Description UPC Global Number 0 - 24000 - 12422 - 4 0 - 24000 - 12522 - 4 0 - 39484 - 92837 - 1 0 - 24000 - 12529 - 4 0 - 24000 - 12429 - 4 e list to move between pages of you move between pages in the lists, etc.), there is a single address. the member list. A count under the	Sort icon and

	<ul> <li>Use the checkbox in the heading area to select or deselect all members on all pages in the list at once.</li> <li>Use Shift+Click as a shortcut to selecting a range of consecutive members (click the first item, then press Shift key while clicking the last item).</li> <li>Click Clear All to clear all of the members, from all pages of the selected list.</li> <li>In the following example, there are four items in the filter and two have been selected with the intention of clearing them. After the Clear button is clicked, the filter will contain only two items.</li> <li>UPC ABC Classification ▼ UPC Long Description UPC Global Number</li> <li>A Applesauce 106oz BR* 0 - 24000 - 12430 - 4</li> <li>Clear All Applesauce 106oz PL* 0 - 24000 - 12530 - 4</li> <li>A Applesauce 12oz BR* 0 - 24000 - 12530 - 4</li> <li>I to 4 of 4   ◀ 1 ▶ ▶ </li> </ul>	
4	OK       Cancel       More       Help         Use the paging arrows and links at the bottom of the list to move between pages of members.       Selections made on various pages are retained as you move between pages in the list.         Note: For all windows that display lists (views, user lists, etc.), there is a single administrative setting on the Application window that controls the page size.         More       Click the More button for additional features:	-
	<ul> <li>Change Filter Type –Click to access the Select Filter Method window if you need to apply a different type of filter to the level (User List, Named Set, or Expression).</li> <li>Clear Filter – Click as a shortcut to clearing the filter from the level.</li> <li>Basic Select – Click to access the Select Members window. This option may not display depending on administrative settings for the level. Administrators determine which version(s) of the window are available by dimension.</li> <li>Display Options – Use to change the display columns in this window. You can display up to 10 display columns for a level in the Advanced Select Members window.</li> <li>Paste – Click to access the Paste Members window, which lets you copy a list of members into the member list that you are building. Valid values identified in the Paste Members window when you are done identifying members for your filter via the Paste Members window.</li> </ul>	
	Change Filter Type Clear Filter Basic Select Display Options Paste Cancel More	

# **Properties Windows for Parameter Groups and Parameters**

using the Level drop-down list.

### **Parameter Groups**

3

	Properties	- PBrnd Parameter Group	×	
	Name:	PBrnd Parameter Group		
	Dimension:	Product Brand		
	Hierarchy:	Product Brand 2	~	
	Level:	Product Brand	~	
3	Required:	Yes	~	
				1
1		Jse to customize the name of a parameter group. Each display above the group in the <u>View Prompt window</u> .	grou	p requires a unique name. The
2		on, Hierarchy, and Level - Dimension field is read-only selection. If a Hierarchy has more than one level, choo		

**Required** - If you want users of the view to be required to specify parameter values for the group before they can run the view, leave Required set to Yes. Otherwise you can change it to No and users will be able run the view without specifying any parameter values for the group.

# Parameters

	Properties - DropDownListParameter ×
	Name: DropDownListParameter
	Type: Drop Down
	Prompt: Choose a Product Brand: 2
3	Filter Mode: Include
	Default Value: X
	Display Text: View Value
	PBrnd Long Description 4
1	<b>Name</b> – Use to customize the name of a parameter. Each parameter across all parameter groups for the view requires a unique name. Don't use any spaces in the name.
	<b>Type</b> - Select the type of parameter. You can create up to four parameters per parameter group, one
	of each type.
	• Select Members - this type creates a filter icon in the View Prompt window. The user can
	click it to access the Select or Advanced Select Members window. They can search for and
	<ul> <li>select multiple members as the parameter value.</li> <li>Drop Down - this type creates a drop-down list in the View Prompt window. The user can</li> </ul>
	select one member as the parameter value.
	<ul> <li>User List - this type creates a filter icon in the View Prompt window. The user can click it to access the Select User List Filter window and select a user list as the parameter value.</li> </ul>
	<ul> <li>Expression - this type creates a filter icon in the View Prompt window. The user can click it to access the Expression window and set up an expression for the parameter value.</li> </ul>
2	<b>Prompt</b> - Enter a text prompt that instructs the user what to do with the parameter. The prompt will display next to the parameter's radio button in the View Prompt window. For example, you could enter text such as <i>Choose a user list:</i> for a user list parameter.
	Note: In order to activate a parameter and have it display in the View Prompt window, you need to
	enter a prompt. If you don't enter a prompt, you are required to specify a default value.
3	<b>Filter Mode</b> - This property controls how Viewer treats the parameter filter. A parameter set to "Include" means the applied parameter filter will return only the members specified by your filter selections/criteria. A parameter set to "Exclude" means the applied parameter filter will return all
	members except the ones specified by your filter selections/criteria.
	<b>Default Value</b> - You have the option of specifying a default value for each parameter. The value displays in the View Prompt window where the user can either accept it or override it by choosing a different parameter value.
	Click the Browse button 🔤 to set up a default. The window that opens depends on the type
	of parameter. For example, the Select or Advanced Select Members window opens for a
	<ul> <li>Select Members parameter.</li> <li>Click the "X" button to remove a default value from the parameter.</li> </ul>
4	<b>Display Text –</b> You have the option of customizing the Display Text property for the parameter. See <u>How Parameter Display Text Interacts with Other Settings</u> for more details and examples.

•	<b>View</b> – This is the default Display Text selection for all parameter types. Setting this to view means that you want the applicable drop-down list or Select/Advanced Select Members windows for the parameter to display based on the display text setting for the associated level in the view.
•	Value or Attribute Relationship – Setting the Display Text to a specific attribute (either value or attribute relationship) means that you want the applicable drop-down list or Select/Advanced Select Member windows for the parameter to display using the selected attribute.
	Administrative settings in the Select Members Options window can override the parameter v Text property.

# **Properties Window for Presentation**

1

Properties - Presentation	×
Format: Viewer	~
Prompt: No 2	~

**Format** – Controls what presentation format a view runs in by default. Set to Viewer for the view to display in the traditional grid format. Set to Excel to have the view open as an MS Excel file.

**Prompt** – Use to set up the view such that users will be prompted to choose the presentation format for displaying view results each time they run the view. This is done by setting the Prompt property to Yes. The View Prompt window will display each time users run the view, and they can use the Presentation section in that window to choose the presentation format. If the option is No, the view will run in the format you selected for the Format property without any prompt.

# **Select Members Window**

Selected d	× Q Search By: UP	C ABC Classification 🛛 Contains
UPC ABC Classification	UPC Long Description	UPC Commodity Code
□ c	Asparagus	2450
□ c	Strawberries	4850
Z c 🛛 🙆	Orange Juice Conc.	5230
□c <b>2</b>	Blueberry Filling 106oz PL*	5110
C	Grapefruit Sctn UnS 106oz BR*	5110
⊿ c	Mand Org Pcs 106oz BR*	5110
C	Blueberry Filling 106oz BR*	5110
Z c	Mand Org Pcs 12oz PL*	5110
C	Blueberry Filling 12oz PL*	5110
C	Grapefruit Sctn UnS 12oz BR*	5110
2 c	Mand Org Pcs 12oz BR*	5110
] c	Blueberry Filling 12oz BR*	5110
2 c	Mand Org Pcs 106oz PL*	5110
2 c	Navel Oranges	3160
] c	Pork Chops - Butterfly	3347
□ c	Ground Round 90% Lean	3347
∃ c	Sweet Onions, Chopped	9999
	K Cancel More 4	Help

The 'Selected' count in the upper left corner shows how many members are included in the filter. The count adjusts as you change selections in the window.

This window is initially populated with all authorized members for the active level. Make selections from the entire list, or execute a search to narrow down the list. Use the search properties to specify the criteria and the parameters by which to search for members to be used in a member list filter or user list.


**Note:** The window is also used when selecting members from the expression window for calculated measure items and when administrators set up roles.

Click the search icon  $\bigcirc$  after you specify your search properties:

- Enter a value in the search field. Multiple values can be entered by separating them with a semicolon. If the field is left blank, the available list displays all members for the active level.
- Optionally use the Search By drop-down lists. The first list is to select the attribute relationship to perform the search on. The other list lets you choose whether you want your search to contain, not contain, start with, be equal to, not equal to, greater than, or less than the value(s) specified in the search.

In the following example, we searched for UPC ABC Classification not equal to "b or c".

		Select Members: UPC Global N	NUMBER X
	0 Selected	× Q Search	By: UPC ABC Classification 🔽 Not Equal to 🕥
	UPC ABC Classification	UPC Long Description	UPC Commodity Code
		%	%
		?	?
		Frozen Lasagna Dinner	6580
		Apple Filling 12oz PL*	5108
		Applesauce 106oz BR*	5512
		Applesauce 106oz PL*	5512
		Blackberries 106oz BR*	5512
		Pnappl Bites 106oz BR*	5512
		Pnannl Bites 12oz Pl *	5512
2	<ul> <li>expression, etc. Click the check deselect members. Click OK w</li> <li>Other options and tips:</li> <li>If your search returns only click the OK button to close</li> <li>Selecting members then clic</li> <li>Click the checkbox in the h once.</li> <li>Use Shift+Click as a shorted press Shift key while clicking</li> </ul>	kboxes next to members or hen you are done making va one member, the member w the window and add that m icking OK will add the select eading area to select or des out to selecting a range of co ng the last item). Ind drag/drop enabled. In the ragged it to the first position	ers to include in a member list filter, click anywhere in member rows to select or arious selections to apply your filter. fill display as selected. At that point, you can bember to a filter. ed members to a filter and close the window. elect all members on all pages in the list at nsecutive members (click the first item, then e following example, we clicked the UPC . We also clicked the Sort icon to perform
		-	
	0 Selected b:c	SELECT MEMBERS: UPC GLOBAL N	
	0 Selected b;c	Search	By: UPC ABC Classification V Not Equal to
	UPC Long Description	UPC ABC Classification	UPC Commodity Code
	<u>∽</u>	%	%
		?	?
	Apple Filling 106oz PL*	A	5108
	Apple Filling 12oz PL*	A	5108
	Applesauce 10602 BR	A ^	5512 5512
	Applesauce 10002 PC	<u>م</u>	5512
	Applesauce 12oz PL*	A	5512
	Baby Carrots	A	3120
	I lee the paging arrows and link	s at the bottom of the list to	move between pages of members.
	Selections made on various pa		
			1 0
	Note: For all windows that disp	lay lists (views, user lists, et	c.), there is a single administrative setting on
	the Application window that cor		,,
3	<b>Clear All</b> – Click this button to you can make new selections.	clear all member selections	from a filter. The window remains open so
	More Click the More buttor	n for additional features:	



# **View Explorer**

	View Explorer X
1	$\odot \bigcirc \times$
	Percent Growth Current Wk Current Yr vs Last Yr
	Parameter Groups
3	Grid Grid
	> 🌽 🗆 Rows
	> 12,  Customer Ship-To
	· Customer Ship-To
	ShpTo Long Description
	🖆 🗆 ShpTo Contact
	ShpTo Country
	✓ <sup>1</sup> / <sub>4</sub> □ Product Category
	→ 12, □ Product
	View Filter
	✓ <sup>1</sup> <sup>2</sup> □ Product ABC Class 5
	✓ 社 □ Product Brand
	Measure Items
	Actual Sales Sales Amount Wk 1 2017 to Wk 37 2017
	6 M Contract Method 1 2017 to Wk 37 2017
	Image: Balance of the second
	6 w of Total Wk 1 2016 to Wk 37 2016
	Percent of Total Growth
	Charts

The elements in view explorer are organized into a tree structure that has expandable/collapsible folders and checkboxes for selecting items. Folders are described in the following table. Color-coding is used throughout to help you distinguish which items will be visible in the grid and which are hidden.

- **Items in blue text** Any items currently showing in the grid. Their Visible property is "Yes" in their Properties window.
- **Items in black text** Any items that are not actively shown in the grid, but that have a Visible property of "Yes." This means they will display in the Navigation Panel as available to drill to and display in the grid once you reach them in the drill down path for the view.
- Items in grey text Any items that have a Visible property of "No." For levels, this means they will not display in the grid as you drill through it. Attribute relationships, measure items, and charts displayed in grey text also will not display in the grid.
- Checkboxes for folders and items Select items using their checkboxes then use the icons in the view explorer toolbar as shortcuts for showing, hiding, or deleting items. You can select multiple items to apply those types of changes to at once.

• **Properties windows available for all items** – When you double-click an item in view explorer, the Properties window of the active item opens at the bottom of view explorer. You also can right-click to invoke a pop-up menu of actions to take on items from view explorer.

1	<b>View Explorer toolbar</b> – Icons in the toolbar are shortcuts for hiding, displaying, or deleting items for the view. Select checkboxes for all the items you want to work with and then click the applicable icon:
	•  • Makes the selected items visible or available in the view to drill to in the view.
	• $\bigcirc$ – Hides the selected items from displaying in the view.
	• $\times$ – Deletes the selected items from the view.
	Remember to click OK in the Apply Changes prompt to refresh the view with all the changes you've made in view explorer.
2	<b>View name folder</b> – displays the name of the view. Double-click to access the Properties window for editing basic properties like the Name, Type, Planning, Export Type, and View Group properties. Administrators can use the Owner property to change the owner of a view.
3	<b>Parameter Groups folder</b> – Displays a view's parameter groups and parameters within each group. Selecting the checkbox for this folder is a shortcut to selecting all groups within the folder, and selecting the checkbox for a group is a shortcut to selecting all parameters in the group. As you insert groups and parameters, they will display under this folder. Each group and parameter has a related Properties window. You can drag and drop groups and parameters within each group to rearrange them.
4	<b>Grid folder</b> – The folders for Rows, Columns, View Filters, and Measure Items are organized under the Grid folder. From the Grid folder, you can access a Grid Properties window which determines if the grid is visible and if paging is enabled for the grid display. Selecting the checkbox for this folder is a shortcut to selecting all items in the view.
	<b>Rows and Columns folders</b> – All of the included levels and attribute relationships, grouped by hierarchy, display in their applicable Rows and Columns folders. Selecting the checkbox for a folder is a shortcut to selecting all items in that section. You can move hierarchies along with their levels and attribute relationships between the Rows, Columns, or View Filter by dragging and dropping them within view explorer or into the grid from view explorer. Properties windows exist for hierarchies, levels, and attribute relationships in these folders. Use them to hide or show items, set up filters or sorting, control the display of totals and All Others value defaults, etc.
	<ul> <li>Hierarchies <sup>1</sup>∠ – This image displays next to the names of hierarchies. Selecting the checkbox for a hierarchy is a shortcut to selecting all levels and attribute relationships associated with that hierarchy.</li> </ul>
	• Levels • – Blue boxes next to a level indicate the level it is based for all the levels in its hierarchy. For example, a level with one blue box next to it would be the first level for its hierarchy. A level with two blue boxes next to it would be the second level available in its hierarchy, and so forth.
	<ul> <li>Attribute Relationships 1 – This image displays next to the names of attribute relationships for levels.</li> </ul>
5	<b>View Filter folder –</b> Levels included in the View Filter show in this folder. Setting up a view filter requires a level to be in the View Filter section and then applying a filter to that level. Drag or drop the desired level(s) into the View Filter section of the grid or into the View Filter folder of view explorer. Selecting the checkbox for this folder is a shortcut for selecting all items in the View Filter.
6	<b>Measure Items folder</b> – All measure items defined for this view display in the folder. Selecting the checkbox for this folder is a shortcut tor selecting the checkboxes for all measure items. You can edit, insert, remove and hide measure items. The Time Range controls the type of measure items

	that you can set up for the view – either measure items with time ranges (Yes) or measure items without time ranges (No). You can also use the Properties windows for individual measure items to change their caption, images, conditional formatting, pop-up labels, hyperlinks, filtering, sorting, totals, etc.				
	• Regular Measure Item 🖾 – This image displays next to regular measure items.				
	Calculated Measure Item IIII – This image displays next to calculated measure items.				
	<ul> <li>Distinct Calculated Measure Item Mathem - This image displays next to distinct calculated measure Items.</li> </ul>				
7	<b>Presentation folder –</b> The properties for this folder are used to set the default presentation format for the view (either Viewer or Excel) and to determine whether or not users will be prompted to choose the presentation format before the view opens for them.				
	<b>Chart folder</b> – The Chart folder displays the names of any charts in that you have created for a view. Selecting the checkbox for this folder is a shortcut to selecting the checkboxes for all charts. Charts displayed in blue are currently visible in the grid. Charts displayed in grey are hidden. Chart can be dragged and dropped in the folder to change the order in which they display in the grid.				

# **View Prompt Window**

	VIEW PROMPT X
Sales Cost Trend Last 3 Yrs - Pa	rameters
RepBroker Type Group	
Choose A RepBroker Type:	Include 🗸
Product Category Group	
Apply A User List Filter Level:	Include 🔽
Choose Product Category Memb	ers: Include 🗸
()	
	3
Presentation 4	
Format: Viewer	
romat. viewer	
	OK Cancel
	6
	stinguish each parameter group that exists for a view by the bold
	example, there is a group named "RepBrokerType Group" for the
	up named "Product Category Group" for the Product Category level.
	rameters and one parameter per group can be used to filter its
pective level in the view.	

2	<b>Individual Parameters</b> - Parameters in each group have their own radio buttons. Select one to activate that parameter and then specify a value for it (see 3 below). If a default value is associated with a parameter, the value will display in the field next to the parameter. You can leave a parameter set to the default or choose a different value.				
3	<b>Specifying Parameter Modes and Values</b> - Select a parameter's radio button then use the control provided to specify values and determine if the applied filter will Include or Exclude the values specified by the parameter. The View Prompt window will default to the last selected filter selections each time you reopen the window. Running the view again from the Stratum View Pane resets the window to its default values.				
	<ul> <li>A parameter set to "Include" means the applied parameter filter will return only the members specified by your filter selections/criteria. A parameter set to "Exclude" means the applied parameter filter will return all members <i>except</i> the ones specified by your filter selections/criteria.</li> <li>Drop Down parameters have a drop-down list. A single member can be selected.</li> <li>Member List, User List, and Expression parameters have a filter icon next to them. Click the icon and use the window that opens to specify the member(s), user list, or expression for the parameter value. You will use the Select or Advanced Select Members window for Member List parameters, Select User List Filter window for User List parameters, and Expression window for Expression parameters. Clicking OK in the filtering window returns the specified member(s), user list, named set, or expression to the parameter's field in the View Prompt window.</li> </ul>				
4	<b>Presentation</b> – This section only displays if you selected the Yes option for the Presentation section's Prompt property. Users can choose to run the view in Viewer (grid) format or as an MS Excel file. If they aren't any parameters defined for the view and Prompt is set to Yes, then the Presentation section will be the only thing that displays in the View Prompt window.				
5	<ul> <li>OK and Cancel -</li> <li>OK - If you specify parameters and click OK, the window closes and the specified parameter values will be applied to filter the view. Filter icons will display next to the filtered levels. You can click OK without specifying any parameters. If none of the parameters are required, the window closes and the view runs without any filtering by parameter. If any of the parameters are required, a prompt will display indicating that you must specify a value for that parameter.</li> <li>Cancel - If you click Cancel, the window closes and the View Definition window displays. You might choose to do this if you decide you want to make edits to the view before running it. Make changes and then access the View Prompt window again to specify parameters and run the view. If the window doesn't open automatically after your editing has been applied to the view, click the Prompt button in the grid toolbar.</li> </ul>				

**Advanced Concepts** 

# How Parameter Display Text Interacts with Other Settings

When you are setting up parameters, you have the option of customizing the Display Text property for them. For a Drop Down parameter in the View Prompt window, this property can influence how members display in the dropdown selection list of the View Prompt window. For Select Members, User List, and Expression parameters, the property can influence how information displays by default in the Select Members, Advanced Select Members, and Select User List Filter windows when those windows are accessed for their respective parameter types in the View Prompt window. Additional details and examples related to the parameter Display Text property are provided in this topic.

- Additional Details about the Property
- Examples of the Property Interacting with Other Settings

Keep in mind, there is an administrative Search By setting that takes precedence when it is set to a specific attribute for the level on which the parameter exists. In such cases, the Search By setting in the Select and Advanced Select Members window will always default to the administrator-defined attribute.

### Additional Details about the Property

Your choices for a parameter's Display Text are View or an attribute for the parameter's level. An attribute is either the level value or one of its attribute relationships.

- **View** This is the default Display Text selection for all parameter types and has the following impact depending on parameter type:
  - **Drop Down** -- Members in the drop-down selection list of the View Prompt window will display the same as they do for level members in the grid. That means by value if level members in the grid display by value, or by an attribute relationship if level members in the grid display by that attribute relationship.
  - Select Members Select and Advanced Select Members windows opened from the View Prompt window for the parameter will have their display columns default to the values and/or attribute relationships showing in the grid (acting the same as they do when the windows are opened from other areas in the grid such as from level filter icons). The Search By property in the windows will default to the first display column in the grid or an administrator-specified attribute relationship depending on how your administrator has set up Select Members options settings for the level.\* Similar behavior occurs for **Expression parameters** when the Select and Advanced Select Members windows are accessed from its Expression window.
  - User List Display columns in the Select User List Filter window opened from the View Prompt window will default to the values and/or attribute relationships showing in the grid. The first display column will be either the first display column in the grid or an administrator-specified attribute relationship depending on how your administrator has set up Select Members options settings for the level.\*
- **Value** This parameter Display Text selection has the following impact, depending on the parameter type:
  - **Drop Down** Choose this option if you want members in the drop-down selection list of the View Prompt window to display by their values regardless of how level members are displayed in the grid.
  - Select Members The first display column in Select and Advanced Select Members windows opened from the View Prompt window for the parameter will default to value. The Search By property will default to value or an administrator-specified attribute relationship depending on how you administrator has set up Select Members options settings for the level.\* Similar behavior occurs if you choose Value for **Expression parameters** when the Select and Advanced Select Members windows are accessed from its Expression window.
  - User List The first display column in the Select User List Filter window will default to value or an administrator-specified attribute relationship depending on how your administrator has set up Select Members options settings for the level.\*
- An attribute relationship If a level has attribute relationships available for it in the view, you can choose one of those attribute relationships as the parameter Display Text. If no attribute relationships are available, only View and Value options will be available for Display Text. Choosing an attribute relationship as the parameter Display Text has the following impact depending on the parameter type:
  - **Drop Down** Choose this option if you want members in the drop-down selection list of the View Prompt window to display by the attribute relationship you selected regardless of how level members are displayed in the grid.
  - **Select Members** The first display column in Select and Advanced Select Members windows opened from the View Prompt window for the parameter will default to the attribute relationship you selected.

The Search By property will default to that attribute relationship or an administrator-specified attribute relationship depending on how you administrator has set up Select Members options settings for the level.\* Similar behavior occurs if you choose an attribute relationship for **Expression parameters** when the Select and Advanced Select Members windows are accessed from its Expression window.

• User List – The first display column in the Select User List Filter window will default to the attribute relationship you selected or an administrator-specified attribute relationship depending on how your administrator has set up Select Members options settings for the level.\*

\*Note: If your administrator sets the level's Search By setting in Select Members Options to a specific attribute, that attribute relationship takes precedence over any parameter Display Text settings. The Search By setting for a level in the Select Members Options needs to be set to System Defined in order for parameter Display Text settings to take effect.

## Examples of the Property Interacting with Other Settings

The following examples demonstrate how the Display Text property for parameters interact with other settings to influence what users see when accessing filtering windows from the View Prompt window in a view with parameters.

The following view has a Drop Down parameter on the Ship-to Region level. The SRgn Short Description and SRgn Country attribute relationships display for that level in the grid. There is a Select Members parameter on the UPC Global Number level. The UPC Short Description and UPC ABC Classification attribute relationships display for that level in the grid with the short description specified as the Display Text for the level. The three examples that follow show what users will see when they run the view and make parameter selections in the View Prompt and related filtering windows.

🔄 🖸 🏜 🕅 🏫 🍸 🔯 🖳 📋 🕜 🛛 🛇 🋇 🖓 1 to 14 of 14 🛛 🛇 🛇 🖓 1 to 6 of 6							
Image: UPC Daily Sales by Ship-To Region       ↓ →       View Filter							
	▼ Ship-To Region >>	W. CAN		All Others		Grand Tota	
	SRgn Country	CAN					
▲ ▼ <u>UPC Global</u> <u>Number</u>	UPC ABC Classification	Daily Sales Amount Jan 14 to Sep 14	Daily Sales Units Jan 14 to Sep 14	Daily Sales Amount Jan 14 to Sep 14	Daily Sales Units Jan 14 to Sep 14	Daily Sale Amount Jan 14 to Sej	
Apple Filling 106oz BR*	В	\$5,349,787	1,210	\$20,208,603	4,922	\$25,55	
Apple Filling 106oz PL*	A	\$12,587,976	3,931	\$50,078,627	16,494	\$62,66	
Apple Filling 12oz BR*	В	\$2,461,067	1,365	\$8,697,768	3,553	\$11,15	
Apple Filling 12oz PL*	A	\$1,875,259	937	\$25,367,112	10,036	\$27,24	
Apples Red Delicious	В	\$10,125,146	5,910	\$51,616,825	34,628	\$61,74	
Applesauce 106oz BR*	A	\$3,486,263	653	\$29,631,923	8,415	\$33,11	
Applesauce 106oz PL*	A	\$28,706,689	4,805	\$97,139,933	20,314	\$125,84	
Applesauce 12oz BR*	A	\$3,809,561	1,232	\$21,619,517	4,994	\$25,42	
Applesauce 12oz PL*	A	\$4,345,530	2,272	\$60,790,985	27,156	\$65,13	
<u>Asparagus</u>	с	\$16,301,526	1,560	\$96,845,428	25,981	\$113,14	
Baby Carrots	A	\$8,199,239	3,393	\$35,278,803	14,733	\$43,47	
<u>Bananas</u>	В	\$2,467,573	1,800	\$13,750,576	7,470	\$16,21	
All Others		\$447,804,626	128,796	\$2,466,375,126	728,709	\$2,914,17	
Grand Total		\$547,520,242	157,862	\$2,977,401,224	907,406	\$3,524,92	

	VIEW PROMPT	×
UPC Daily Sales by Ship-To Region - F	Parameters	
ShipTo Region Parameters		
Choose a Ship-To Region		~
UPC Parameters		
Choose UPC's to Review		
		OK Cancel

## Example 1, Parameter Display Text = View

In this example, the Display Text property for each parameter is set to View. The administrative Search By setting is set to System Defined for both levels.

View Explore	r	×		View Explore	r	×
<ul> <li>UPC Daily Sales by Ship-To Region</li> <li>Parameter Groups</li> <li>ShipTo Region Parameters         <ul> <li>DropDownParameter</li> <li>UPC Parameters</li> <li>MemberParameter</li> <li>Grid</li> <li>Charts</li> </ul> </li> </ul>		<ul> <li>UPC Daily Sales by Ship-To Region</li> <li>Parameter Groups</li> <li>ShipTo Region Parameters DropDownParameter</li> <li>UPC Parameters MemberParameter</li> <li>Grid</li> <li>Charts</li> </ul>				
Properties -	DropDownParameter	×		Properties -	MemberParameter	×
Name	DropDownParameter			Name	MemberParameter	
Туре	Drop Down	~		Туре	Select Members	~
Prompt	Choose a Ship-To Region			Prompt	Choose UPC's to Review	
Default Value		x		Default Value	2	x
Display Text	View	~		Display Text	View	~

The drop-down list in the View Prompt window for the Ship-To Region parameter displays members by what shows in the grid for Ship-to Region members, in this case the SRgn Short Description.

	VIEW PROMPT	×
UPC Daily Sales by Ship-To Region - P	arameters	
ShipTo Region Parameters		
<ul> <li>Choose a Ship-To Region</li> <li>UPC Parameters</li> <li>Choose UPC's to Review</li> </ul>	% ? E. CAN E. US MidW US S. US W. CAN W. US	] <b>T</b>
	OK Cancel	

The filtering windows accessed from the View Prompt window for the UPC Global Number parameter display information according to the grid as well. Search By in the Select and Advanced Select Members windows will default to the first attribute displayed in the grid, which is UPC Short Description. Display columns in the filtering windows will be UPC Short Description and UPC ABC Classification.


	Select Members: UPC Global Number						
0 Selected	Q Search By: UPC Short Description  Contains	~					
UPC Short Description 🔺	UPC ABC Classification	~					
<b>□</b> %	%						
□ ?	?						
Apple Filling 106oz BR*	В						
Apple Filling 106oz PL*	А						
Apple Filling 12oz BR*	В						
Apple Filling 12oz PL*	A						
Apples Red Delicious	В						
Applesauce 106oz BR*	А						
Applesauce 106oz PL*	A						
Applesauce 12oz BR*	А						
Applesauce 12oz PL*	A						
Asparagus	С						
Baby Carrots	А						
🗆 Bananas	В						
Blackberries 106oz BR*	А						
Blackberries 12oz BR*	A						
Blueberries 106oz BR*	В	$\sim$					
Clear All	OK Cancel More Hel	2					

### Example 2, Parameter Display Text = Value

The second example is of the Display Text property set to Value for each parameter. The administrative Search By setting is still set to System Defined for both levels.

View Explore	r	×	View Explore	r	×
<ul> <li>UPC Daily Sales by Ship-To Region</li> <li>Parameter Groups</li> </ul>		^		ily Sales by Ship-To Region ameter Groups	^
	ShipTo Region Parameters DropDownParameter UPC Parameters MemberParameter		· · ·	ShipTo Region Parameters DropDownParameter UPC Parameters	
b 퉲 Gri 🔍 Ch		~	D D Grid	MemberParameter d	~
Properties - I	DropDownParameter	×	Properties - I	1emberParameter	×
Name	DropDownParameter		Name	MemberParameter	
Туре	Drop Down	~	Туре	Select Members	~
Prompt	Choose a Ship-To Region		Prompt	Choose UPC's to Review	
Default Value		x	Default Value		x
Display Text	Value	~	Display Text	Value	~

The drop-down list in the View Prompt window for the Ship-To Region parameter display members by value.



The filtering windows accessed from the View Prompt window for the UPC Global Number parameter will have their Search By default to the UPC Global Number value. The first display column in the filtering windows also will default to the UPC Global Number value. The remaining display columns in the windows will be any other attributes in the grid other than the level Display Text – which in this case is just UPC ABC Classification.

SELECT MEMBERS: UPC GLOBAL NUMBER							
0 Selected	Q Search By: UPC Global Number	✓ Contains ✓					
UPC Global Number	UPC ABC Classification	^					
☐ %	%						
□ ?	?						
0 - 02749 - 25408 - 6	с						
0 - 02749 - 99231 - 6	с						
0 - 02749 - 99267 - 6	В						
0 - 06403 - 92736 - 2	с						
0 - 13800 - 30321 - 9	А						
0 - 13800 - 78934 - 9	в						
0 - 24000 - 12411 - 4	в						

### Example 3, Parameter Display Text = Value

The final example also uses a Display Text property of Value for each parameter. However, in this case, the administrative Search By setting for both levels has been set to their Long Description attributes relationships. This means the administrative setting will take precedence in the View Prompt and related filtering windows.

View Explore	r	×	Viev	v Explorei	,	×
<ul> <li>UPC Daily Sales by Ship-To Region</li> <li>Parameter Groups</li> <li>ShipTo Region Parameters         <ul> <li>DropDownParameter</li> <li>UPC Parameters</li> <li>MemberParameter</li> <li>Grid</li> <li>Charte</li> </ul> </li> </ul>		<ul> <li>UPC Daily Sales by Ship-To Region</li> <li>Parameter Groups</li> <li>ShipTo Region Parameters DropDownParameter</li> <li>UPC Parameters MemberParameter</li> <li>Grid</li> <li>Charts</li> </ul>			< >	
Properties - [	DropDownParameter	×	Pro	perties - I	1emberParameter	×
Name	DropDownParameter		Nam	ie	MemberParameter	
Туре	Drop Down	~	Туре	2	Select Members	~
Prompt	Choose a Ship-To Region		Pror	npt	Choose UPC's to Review	
Default Value		x	Defa	ault Value		x
Display Text	Value	~	Disp	lay Text	Value	~

The drop-down list in the View Prompt window for the Ship-To Region parameter display members by SRgn Long Description.

	VIEW PROMPT	×
UPC Daily Sales by Ship-To Region - F	Parameters	
ShipTo Region Parameters		
Choose a Ship-To Region		
UPC Parameters	% ?	
Choose UPC's to Review	Eastern Canada Eastern U.S. Midwest U.S. Southern U.S. Western Canada Western U.S.	] •

The filtering windows accessed from the View Prompt window for the UPC Global Number parameter will have their Search By default to UPC Long Description. The first display column in the filtering windows also will default to UPC Long Description. The remaining display columns in the windows will be the value (as defined by the parameter Display Text) and any other attributes in the grid other than the level Display Text – which in this case is just UPC ABC Classification.

	SELECT MEMBERS: UPC GLOBAL NUN		
Selected	C Search By	: UPC Long Description Contains	
UPC Long Description	UPC Global Number	UPC ABC Classification	_
%	%	%	
?	?	?	
Apple Filling 106oz BR*	0 - 24000 - 12422 - 4	В	
Apple Filling 106oz PL*	0 - 24000 - 12529 - 4	А	
Apple Filling 12oz BR*	0 - 24000 - 12522 - 4	в	
Apple Filling 12oz PL*	0 - 24000 - 12429 - 4	А	
Apples Red Delicious	0 - 39484 - 92837 - 1	в	
The second second	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	A	

# Passing Member Filters Or Stratum Parameter Filters Into Views Via URL's

Stratum.Viewer supports passing member filters and Stratum Parameters as filters to existing views when you use a URL to run the view. This provides integration between other applications and Stratum.Viewer view filtering. The two types of filtering are described below and examples of each are provided.

- Filtering With Member Filters Specify a level and member(s) to filter the view by in the URL that is being set up to run the view. The view you run via the URL does not require the specified filtering level to already be in the view and does not require a pre-defined Stratum Parameter. For example, this URL passes two member values for the Region level to view 941. https://server-xyz:60500/StratumView.aspx?ViewId=941&Region=308;907. Examples and required syntax are shown in the next section of this topic.
- Filtering With Stratum Parameters If your view has Stratum Parameters (these are views that prompt users to pick a filter value before the view runs), you can pass a value for a pre-defined Select Members, Drop Down, User List, or Expression (except for named sets) parameter through the URL. The value(s) will filter the view specified in the URL. For example, the following URL passes the value to a User List parameter. The view has a Stratum Parameter defined named UserListParameter. This URL runs view 472 with a filter for User List Id 13. https://server-

xyz:60500/StratumView.aspx?ViewID=472&vp:UserListParameter=13. <u>Examples and required syntax</u> are shown in the next section of this topic.

## **Example Member Filters In URL's & Required Syntax**

If you pass a member filter via a URL, you must include the level name, and level member value(s) for the filter. This info is added onto the URL <u>after</u> the core components marked in red in this example URL. More examples are shown after this syntax table.

Item	Format & Values	Required?
Level Name and member values	If you want to filter the view for a particular value(s), specify the level name and value(s) for the level(s) that will be used to filter the view.	Yes
	& <level name="">=<key value=""></key></level>	
	Example with one member specified:	
	&Region=300	
	Example with multiple members specified:	
	&Region=300;400	
	<b>Note:</b> A semi-colon is typically used to separate multiple values specified for a single level. See the &D syntax in the next row of this table for more info and alternatives.	
	The specified values for each level in the URL will either be included or excluded from view results based on how the level filter is configured in the view. If the level has an existing filter, that filter's mode of Include or Exclude will be retained. If the level does not have an existing filter, then an Include filter will be added.	
Delimiter that is used between key values URL using a member filter. Syntax <b>&amp;D</b>	Defines the delimiter that is used between key values. Choose a delimiter that will not exist in your key values. For example, if your key values typically include a semi-colon, then you will need to choose a different delimiter. Do not use & or = as a delimiter	Only if you are using a delimiter other than the default of ;

https://server-xyz:60500/StratumView.aspx?ViewId=941&Region=308;907

**Note:** See also the topic <u>Syntax For Customizing URL's Used To Share Views</u> for optional syntax that can be added on to control what parts of the view display when it's run via the URL.

### Example 1: Member Filter That Passes One Value For One Level

This URL runs a view with ID 941, displays the Stratum View Pane, and passes a member filter for a Customer Ship-To 101106.

https://server-xyz:60500/StratumView.aspx?ViewID=941&svp=1&Customer Ship-To=101106

			📌 R	evenue	Trendin	g by Dir	ector &	Brand		
Favorites Recents All My Favorites YTD Achievement % by Product			🗟   III 🖳 9			Ø		800	🕒 1 to 14 of	14 000
Alert - Declining Sales	View Filter:	∷ <b>▼ C</b> L	Istomer Ship-To: 101106	5 × +						
Budget Outlook by RepBroker Delivery Performance vs. Customer	Sales Dir	Product Brand	PBrnd Long Description		Actual Sales Apr 20	Actual Sales May 20	Actual Sales Jun 20	Actual Sales Jul 20	Actual Sales Aug 20	Actual Sales Sep 20
YTD Top 10 Budget vs Sales	Helen Briggs	<u>001</u>	Тір Тор				\$37,312		\$85,762	\$43,806
Forecast Accuracy		002	Dew Drop	\$57,560	\$43,455	\$34,742	\$98,591	\$36,009	\$42,084	
Net Profit and Delivery Performance		003	SuperSweet		\$14,113	\$28,295		\$31,318	\$15,891	\$17,691
Charting Daily & Actual Sales		004	Idaho Delight	\$12,411			\$13,944	\$15,359	\$15,418	
Rolling 12 Wk Sales by Company Re		005	Farm Crisp	\$25,484	\$15,386		\$21,313	\$28,312		
YTD Achievement % - Oranges Revenue Trending by Director & Bra		006	Southern Sweet	\$44,002	\$77,258	\$32,242	\$22,231			\$113,450
Revenue menuing by Director & bia		007	SugarDrop	\$25,714		\$23,938			\$66,756	
		008	Bing-a-ling				\$67,432		\$87,597	\$45,310
		009	Farm Fresh	\$2 481 316	\$2 119 783	\$2 541 585	\$2 286 836	\$2 585 944	\$3 709 434	\$2 481 764

#### Example 2: Member Filter That Passes Multiple Values For One Level

This URL runs a view with ID 941. It filters the view with four members for the Product Family level.

https://server-xyz:60500/StratumView.aspx?ViewId=941&Product Family=60;61;62;64

📌 Revenue Trending by Director & Brand									
📑 🖸 🕅 🏝 🏫 📊 🔍 🕈 🔯 🍸 🛂 🕜 🛛 🛇 🛇 🛇 🖓 1 to 7 of 7									
View Filter:	🗄 🝸 Pro	oduct Family: Multiple	• × +						
<u>Sales Dir</u>	Product Brand	PBrnd Long Descript	Click Here To Change This Filter Filtered With Members:		Actual Sales May 20	Actual Sales Jun 20	Actual Sales Jul 20	Actual Sales Aug 20	Actual Sales Sep 20
<u>Helen Briggs</u>	006	Southern Sweet	60 61		\$19,275,610	\$12,630,691	\$15,346,733	\$16,154,112	\$11,982,716
	009	Farm Fresh	62		\$59,523,881	\$56,828,006	\$63,545,778	\$85,791,847	\$55,904,858
	011	First Choice	64		\$56,362,475	\$54,293,127	\$61,840,245	\$78,237,300	\$53,424,246
Steve Mentas	006	Southern Sweet	\$9,251,263	\$9,029,344	\$5,348,840	\$8,720,750	\$8,641,738	\$14,310,985	\$8,612,711
	009	Farm Fresh	\$37,606,872	\$29,486,773	\$38,652,007	\$33,640,506	\$34,708,484	\$50,245,675	\$30,475,800
	011	First Choice	\$19,587,413 \$15,570,317		\$23,041,256	\$20,274,291	\$22,949,233	\$30,738,887	\$17,169,353
Grand Total			\$185,471,183	\$160,591,255	\$202,204,069	\$186,387,372	\$207,032,210	\$275,478,807	\$177,569,685

#### Example 3: Member Filter That Passes Filters for Multiple Levels

This URL runs a view with ID 941. It filters the view with four members for the Product Family level and for Customer Ship-To 101106.

https://server-xyz:60500/StratumView.aspx?ViewId=941&Product Family=60;61;62;64&Customer Ship-To=101106

		1	Revenue Trending	by Di	rector 8	Brand				
- 9	X			COCO 1 to 4 of 4         COCO 1 to 4 of 4						
View Filter:	🗄 🝸 Pr	oduct Family: Multi	ple 🗙 💠 🕇 Customer Ship-	<b>To:</b> 10110	6 × -	F				
			Click Here To Change This Filter	ual Sales	Actual Sales	Actual Sales	Actual Sales	Actual Sales		
Sales Dir	Product Brand	PBrnd Long Descrip	Filtered With Members: 60	May 20	Jun 20	Jul 20	Aug 20	Sep 20		
<u>Helen Briggs</u>	006	Southern Sweet		\$32,242				\$80,504		
	009	Farm Fresh	61	\$572,166	\$581,315	\$640,597	\$872,127	\$617,643		
	011	First Choice	64	\$471,169	\$414,683	\$480,185	\$663,173	\$538,698		
			1	1.075.578			\$1,535,299			

### Example 4: Member Filter With Custom Delimiter That Passes Multiple Values For One Level

This URL runs a view with ID 505. It filters the view with two members for the RepBroker level. The member values are separated by a custom delimiter of \* so there is related &D=\* syntax included in the URL.

https://server-xyz:60500/StratumView.aspx?ViewId=505&RepBroker=301\*302&D=\*

**Note:** If the URL had used the default delimiter of ; then the URL would look like this instead https://serverxyz:60500/StratumView.aspx?ViewId=505&RepBroker=301;302. It would return the same results.

				📌 Sales	s & Growt	h By I	Region							
									COC 1 to 31 of 31					
Rows		roker: Filtered ×	∷ <u>Division: All</u> ×	II Product Bran	nd: All × Drill (	Down viev	v +							
Columns View Filter		<u>n: All x b</u> +												
				Region	East					West				
▼ RepBroker	RepBr Long Description	Division	Product Brand	PBrnd Long Description	Sales Amt Wk 1 to Wk 38 2020	% of Total CY	Sales Amt Wk 1 to Wk 38 2019	% of Total LY	Percent of Total Growth		% of Total CY	٧		
302	Mark Fiedler	Grocery Division	009	Farm Fresh	<u>\$69,871,050</u>	<u>16.84%</u>	<u>\$66,652,199</u>	<u>17.02%</u>	<u>182%</u>	\$10,503,923	<u>7.32%</u>			
			010	Prime Grown	\$34,242,365	<u>8.25%</u>	\$30,382,649	<u>7.76%</u>	<u>.494%</u>	\$23,328,516	<u>16.25%</u>			
			012	Home Cookin'	<u>\$24,447,235</u>	<u>5.89%</u>	<u>\$24,596,000</u>	<u>6.28%</u>	<u>389%</u>	<u>\$24,083,303</u>	<u>16.78%</u>			
			011	First Choice	<u>\$24,746,312</u>	<u>5.96%</u>	<u>\$23,757,681</u>	<u>6.07%</u>	<u>103%</u>	\$17,549,882	<u>12.23%</u>			
			006	Southern Sweet	<u>\$22,834,093</u>	<u>5.50%</u>	<u>\$21,779,217</u>	5.56%	<u>059%</u>	<u>\$14,574,722</u>	<u>10.16%</u>			
			999	Private Label	<u>\$21,393,118</u>	<u>5.16%</u>	\$20,090,003	<u>5.13%</u>	<u>.025%</u>	\$12,960,987	<u>9.03%</u>			
			001	Тір Тор	<u>\$17,932,342</u>	4.32%	<u>\$15,502,618</u>	<u>3.96%</u>	<u>.363%</u>	<u>\$9,123,390</u>	<u>6.36%</u>			
			008	Bing-a-ling	<u>\$13,074,353</u>	<u>3.15%</u>	<u>\$10,608,441</u>	<u>2.71%</u>	<u>.442%</u>	<u>\$7,990,706</u>	<u>5.57%</u>			
			002	Dew Drop	<u>\$11,036,949</u>	<u>2.66%</u>	<u>\$9,557,884</u>	<u>2.44%</u>	<u>.219%</u>	<u>\$9,552,035</u>	<u>6.66%</u>			
			007	SugarDrop	<u>\$7,734,294</u>	1.86%	<u>\$8,137,584</u>	<u>2.08%</u>	<u>214%</u>	\$5,832,662	<u>4.06%</u>			
			005	Farm Crisp	<u>\$7,534,226</u>	1.82%	<u>\$6,894,200</u>	<u>1.76%</u>	<u>.055%</u>	\$3,244,723	<u>2.26%</u>			
			003	SuperSweet	<u>\$5,341,607</u>	1.29%	<u>\$5,736,336</u>	<u>1.46%</u>	<u>178%</u>	<u>\$2,706,722</u>	<u>1.89%</u>			
			004	Idaho Delight	<u>\$4,533,767</u>	<u>1.09%</u>	<u>\$4,815,316</u>	<u>1.23%</u>	<u>137%</u>	\$2,069,931	<u>1.44%</u>			
			Grocery Division Total		\$264,721,709	63.80%	\$248,510,128	63.46%	.335%	\$143,521,500	100.00%	\$1		
		302 Total			\$264,721,709	63.80%	\$248,510,128	63.46%	.335%	\$143,521,500	100.00%	\$1		
<u>301</u>	Patrick Hurley	Grocery Division	009	Farm Fresh	<u>\$32,552,513</u>	<u>7.85%</u>	<u>\$31,013,015</u>	7.92%	<u>075%</u>					
			010	Prime Grown	<u>\$24,546,543</u>	<u>5.92%</u>	<u>\$21,633,599</u>	<u>5.52%</u>	<u>.391%</u>					
			012	Home Cookin'	<u>\$16,406,518</u>	<u>3.95%</u>	<u>\$18,776,481</u>	4.79%	<u>841%</u>					
			006	Southern Sweet	<u>\$12,240,676</u>	<u>2.95%</u>	<u>\$10,382,210</u>	2.65%	.299%					
			002	D D	\$10,177,604	2.029/	¢11 207 750	2.019/	02.49/					

### Example 5: Remove Any Filters From A Level

This URL runs a view with ID 505. The URL tells the Stratum to remove any filters that exist on the RepBroker level.

https://server-xyz:60500/StratumView.aspx?ViewId=505&RepBroker=

			4	🛊 Sales & Gr	owth By R	egion						
- 9	- 🖸 🕅 📇 🏫 📊 🖳 የ 🔯 🝸 📴 🕜 🛛 🛇 🛇 🛇 1 to 50 of 210 000											
	Rows:       Image: RepBroker: All x       Image: Product Brand: All x       Image: Product Brand											
View Filter	: +											
				Region	East					West		
<u>RepBroker</u>	RepBr Long Description	Division	Product Brand	PBrnd Long Description	Sales Amt Wk 1 to Wk 38 2020	% of Total CY	Sales Amt Wk 1 to Wk 38 2019	% of Total LY	Percent of Total Growth	Sales Amt Wk 1 to Wk 38 2020	% of Total CY	Sa A W to 3 20
<u>300</u>	Nicole Toscano	Grocery Division	009	Farm Fresh	\$1,280,366,799	<u>23.04%</u>	<u>\$1,221,850,179</u>	<u>23.31%</u>	<u>273%</u>			
			<u>011</u>	First Choice	<u>\$664,392,732</u>	<u>11.95%</u>	<u>\$631,857,050</u>	<u>12.05%</u>	<u>101%</u>			
			<u>010</u>	Prime Grown	<u>\$76,190,159</u>	<u>1.37%</u>	<u>\$71,812,418</u>	<u>1.37%</u>	<u>.001%</u>			
			012	Home Cookin'	<u>\$74,493,471</u>	<u>1.34%</u>	<u>\$69,528,991</u>	<u>1.33%</u>	<u>.014%</u>			
			006	Southern Sweet	<u>\$38,553,196</u>	<u>.69%</u>	<u>\$35,585,618</u>	<u>.68%</u>	<u>.015%</u>			
			<u>999</u>	Private Label	<u>\$31,209,187</u>	<u>.56%</u>	<u>\$30,680,313</u>	<u>.59%</u>	<u>024%</u>			
			<u>001</u>	Тір Тор	<u>\$25,996,805</u>	<u>.47%</u>	<u>\$23,135,807</u>	<u>.44%</u>	<u>.026%</u>			

#### Example 5: Using Captions vs Level Names In URL's With A Member Filter On A Level

URL's that filter views by member values must include the level name or its caption\*. When you use this type of URL, Stratum will compare what you specify in the URL for the level name syntax against all existing level captions in the specified view and if a match is not found in the captions, will look at all levels in the Stratum Data Hub.

- The first match it finds will be used as the level for filtering. Stratum will look for matches with spaces as specified and then truncate spaces out of the name to look for a match if it can't find a match to the variation that included spaces.
- If a match is not found in the specified view definition, then the URL looks at levels in the Stratum Data Hub for a match. If a match is found, then that level is added to the view. If a match is not found, the specified level and members values are ignored and won't impact the view specified in the URL.

\*Note: The caption is what displays in row or column headings for the level in the Stratum View. The caption can be customized by whoever sets up the view or left to be the same as the level name.

The following example URL's run a view with ID 507. That view has a level with a name of RepBroker that has a caption of "Sales Person". Each of the URL variations shown below will run the view and filter that level by two members. The first URL uses an acceptable caption variation of SALES PERSON. The next URL uses an acceptable caption variation of SALES PERSON. The last two URL's use an acceptable name variation, one with a space in the name and one with an all lowercase name.

https://server-xyz:60500/StratumView.aspx?ViewId=507&SALESPERSON=315;318

https://server-xyz:60500/StratumView.aspx?ViewId=507&SALES PERSON=315;318

https://server-xyz:60500/StratumView.aspx?ViewId=507&rep broker=315;318

https://server-xyz:60500/StratumView.aspx?ViewId=507&repbroker=315;318

常 Sales Person Sold Amt Comparisons								
- 0	🖶 🖸 🕅 🊔 🏫 📊 🖳 💡 🔯 👕 🖽 🚱 🚱 😌 😂 🖓 😂 🖓							
Rows:	Rows: :: Sales Person: Filtered × :: Division × :: Product Brand × + View Explorer ×							
Columns:	Columns: +							
View Filter:	: +						Sales Person Sold Amt Comparisons	•
▼ <u>Sales</u> Person	RepBr Long Description	Sales \$ Wk 1 to Wk 38 2020	% of Total CY	Sales \$ Wk 1 to Wk 38 2019	% of Total LY	Percent of Total Growth	<ul> <li>Parameter Groups</li> <li>Grid</li> <li>Brows</li> </ul>	
<u>315</u>	Mary Lopez	\$206,258,783	71.74%	\$193,068,070	72.34%	606%	> 12, Charles	
<u>318</u>	Neil MacDonald	\$81,256,185	28.26%	\$73,804,632	27.66%	.606%	> • CRepBroker	
Grand Tota	I	\$287,514,968	100.00%	\$266,872,702	100.00%	.000%	🗳 🗌 RepBr Long Description	
							✓ <sup>1</sup> Z <sub>i</sub> □ Division	
							✓ 12, □ Product Brand	
						_	Columns	-
						ſ	Properties - RepBroker	×
							Name: RepBroker	
						L	Caption Expression: Sales Person	
						-	Filter Mode: Include	~
							Filter: Members	

## Example Stratum Parameter Filters In URL's & Required Syntax

If you pass a Stratum Parameter filter via a URL, you must include the parameter and applicable values such as member values or a user list ID. This info is added onto the URL <u>after</u> the core components marked in red in this example URL. More examples are shown after this syntax table.

https://server-xyz:60500/StratumView.aspx?ViewID=4728	&vp:UserListParameter=13
---	--------------------------

Item	Format & Values	Required?
Item Stratum Parameters &vp:	Format & Values  If your view uses Stratum Parameters and you want to specify a filter using the Stratum Parameters, the syntax is as follows. &vp: <stratum member="" name="" parameter="" select="">=<values filter="" to=""> &amp;vp:<stratum down="" drop="" name="" parameter="">=<value filter="" to=""> &amp;vp:<stratum list="" name="" parameter="" user="">=<user filter="" id="" list="" to=""> &amp;vp:<stratum expression="" name="" parameter="">=<expression filter="" to=""> Notes: A semi-colon is used to separate multiple values specified for a Select Members type of parameter. If you want all members considered by a Select Members or Drop Down parameter, then you need to specify "All <name associated="" hierarchy="" of="" parameter="" the="" with="">" as the parameter value. The specified values for each parameter in the URL will either be included or excluded from view results based on how that parameter's Filter Mode is configured in Viewer. If a parameter has a mode of "Include", the values passed along to the view by the</name></expression></stratum></user></stratum></value></stratum></values></stratum>	Required? Yes
	URL will be returned as part of view results. If a parameter has a mode of "Exclude", the values passed along the view by the URL will not be part of view results – all member values <b>except</b> the ones specified by the URL will be a part of view results.	

**Note:** See also the topic <u>Syntax For Customizing URL's Used To Share Views</u> for optional syntax that can be added on to control what parts of the view display when it's run via the URL.

### Example 1: Select Members Parameter That Passes Specific Values

This URL runs a view with ID 931. It returns four members for a Select Members parameter named MembersParameter that exists on the Product Family level.

https://server-xyz:60500/StratumView.aspx?ViewId=931&vp:MembersParameter=60;61;62;64

	🗎 🕅 🏫 🍸		2 8000 1 to	14 of 14			
View Name: Select Members Parameter							
↓ → View Filter The Product Family							
Ship-To Market	Filtered With Members: 60 - Fruit Fillings 61 - Applesauce 62 - Frozen Juice	S Sales Amount 2017 to Per45 2017 \$2,749,716 \$4,437,312	AS Sales Units Per45 2017 to Per45 2017 60,385 96,855				
<u>112</u> <u>115</u>	64 - Specialty Canned Fr	ruit \$3,009,120	49,161				
<u>123</u>	St Louis	\$8,328,343	170,206				
<u>153</u> <u>171</u>	Phoenix Seattle	\$2,726,657 \$2,970,135	43,250 45,679				
<u>172</u>	Raleigh-Durham	\$4,169,021	84,943				
<u>185</u>	Philadelphia	\$3,567,166	77,658				
<u>187</u>	Pittsburgh	\$754,490	10,721				
<u>207</u>	Quebec QC	\$5,300,864	98,642				
229	Calgary AB	\$2,425,656	54,246				
249	Winnipeg MB	\$3,922,494	57,820				
<u>296</u>	St. John NB	\$1,056,216	17,273				
Grand Total		\$45,417,190	866,839				

### Example 2: Select Members Parameter That Passes All Values

This URL runs a view with ID 931. It returns all members for a Select Members parameter named MembersParameter that exists on the Product Family level. Notice there is no filter icon next to the Product Family level since the URL told the view to return all values for that level.

https://server-xyz:60500/StratumView.aspx?ViewId=931&vp:MembersParameter=All Product Family

. 0 .			2 COOO 1 to 14 of :
View Name:	Select Members Param	eter	
→ View Filter	Product Family		
Ship-To Market	SMkt Long Description	AS Sales Amount Per45 2017 to Per45 2017	AS Sales Units Per45 2017 to Per45 2017
<u>100</u>	Chicago	\$14,840,910	291,573
<u>112</u>	Buffalo	\$23,307,026	436,718
<u>115</u>	Dallas	\$10,718,144	171,306
<u>123</u>	St Louis	\$29,182,280	556,160
<u>153</u>	Phoenix	\$11,180,501	178,499
<u>171</u>	Seattle	\$10,593,687	179,232
<u>172</u>	Raleigh-Durham	\$14,543,555	256,203
<u>185</u>	Philadelphia	\$16,274,333	298,216
<u>187</u>	Pittsburgh	\$5,374,654	92,548
<u>207</u>	Quebec QC	\$18,751,903	323,690
<u>229</u>	Calgary AB	\$12,437,580	241,908
<u>249</u>	Winnipeg MB	\$13,927,213	212,632
<u>296</u>	St. John NB	\$4,357,067	57,774
Grand Total		\$185,488,854	3,296,461

### **Example 3: Drop Down and User List Parameters**

This URL runs a view with ID 932. It returns a member for a Drop Down parameter named DropDownRepParameter that exists on the RepBroker level. The URL also returns members for a User List parameter named UserListShipToParameter that exists on the Ship-To Market level. The specified list has an ID of 104.

https://server-

xyz:60500/StratumView.aspx?ViewId=932&vp:DropDownRepParameter=300&vp:UserListShipToParameter=104

- C - C - C - C - C - C - C - C - C - C						
III + View Name: Drop Down Parameter       ↓ →       View Filter						
(	▼ <u>RepBroker</u> >>	300		All Others		Grand Total
	RepBr Long Description	Nicole Toscano	)			
▼ <u>Ship-To</u> <u>Market</u>	SMkt Long Description	Actual Sales Amount Sep 2014 to Sep 2014	Actual Sales Units Sep 2014 to Sep 2014	Actual Sales Amount Sep 2014 to Sep 2014	Actual Sales Units Sep 2014 to Sep 2014	Actual Sales Amount Sep 2014 to Sep 2014
112	Buffalo	\$31,334,747	802,585	\$29,235,306	555,996	\$60,570,053
<u>172</u>	Raleigh-Durham	\$25,056,769	627,464	\$24,648,935	452,015	\$49,705,704
185	Philadelphia	\$26,184,748	657,979	\$18,595,920	350,302	\$44,780,667
All Others		\$113,552,055	2,827,199	\$96,989,555	1,877,233	\$210,541,610
Grand Total		\$196,128,318	4,915,228	\$169,469,716	3,235,546	\$365,598,034

#### Example 4: Expression Parameter

This URL runs a view with ID 933. It returns the values of an evaluated expression related to an Expression parameter named ExpProdParameter that exists on the Product level. The expression passed into the view by the parameter returns members of the level with a Prod ABC Classification attribute relationship of B.

After the parameter information, we included the syntax &vf=0 in order to hide the View Filter section.

https://server-

xyz:60500/StratumView.aspx?ViewId=933&vp:ExpProdParameter=[Product].[Product].CurrentMember.Properties(" Prod ABC Classification") = "B"&vf=0

- 9 🛎 🗱 🏠		8008	1 to 20 of 1973
+ View Name: Expression	Parameter		
↓ → View Filter			
Product	Prod ABC Classification	Actual Sales Amount Jan 2014 to Sep 2014	Return Amount Jan 2014 to Sep 2014
FrtCktail H Filtered With Expre	ssion:	\$20,521	(\$1,788)
Peach Hlvs [Product].[Product	1.Properties("Prod ABC	\$12,838	(\$1,256)
Peach Slcs Classification") = "	В"	\$19,834	(\$1,424)
Mand Org Pcs 12oz BR* 0A	В	\$18,021	(\$2,537)
Escalloped Apples 12 oz BR* 0A	В	\$19,896	(\$1,422)
Tropical Mix LS 12oz BR* 0A	В	\$13,052	(\$833)
Pnappl Slcs 12 oz BR* 0A	В	\$127,980	(\$13,615)
Pnappl Bites 12oz BR* 0A	В	\$7,296	(\$1,170)
Cherry Filling 12 oz BR* 0A	В	\$8,296	(\$2,497)
Grapefruit Sctn Sw 12oz BR* 0A	В	\$409	(\$67)
Apple Filling 12oz BR* 0A	В	\$4,994	(\$1,261)

# **Prompting Users to Choose the View Presentation Format**

You can set up views such that users will be prompted to choose the format for displaying view results each time they run the view. This is done by setting the Presentation section's Prompt property to Yes.

Propert	es - Presentation:	×
Format:	Viewer	~
Prompt:	Yes	~

When the users, run the view, they will be presented with a View Prompt window. They can change the selection in the Presentation section to run the view in Viewer (grid) format or as an MS Excel file.

**Note:** If there aren't any other parameters defined for the view, then only the Presentation section will display in the View Prompt window.

		VIEW PROMPT	×
Sale	s Cost Trends Last 3 Yrs - Parame	eters	
RepE	Broker Type Group		
$\odot$	Choose a RepBroker Type:	×	
Prod	uct Category Group		
۲	Apply a User List Filter to Level:		т 🛛
0	Choose Product Category members:		<b>T</b>
			_
			_
			_
			_
			_
			_
			_
			_
			_
Pres	entation		- 1
For	mat: Viewer	~	
		OK Cancel	

If the Viewer option is selected, the view grid will display in the Stratum.Viewer interface. If the Excel option is selected, the View Definition page will display in the background while a File Download window or browser message opens. Users can open the file or save it to a specified location.

★ Sales Cost Trends Last 3 Yrs	
Run View	
×	
Do you want to open or save Sales Cost Trends Last 3 Yrs 2018-04-30.xlsx (8.28 KB) from devenv-t1?	
Open <sub>Save</sub> Cancel	

# Removing Parameters While Performing a "Save As"

- 1. Click Save As in the grid toolbar.
- 2. Set up the properties for the new view and then de-select the Parameter Prompting checkbox.
- 3. Click Save.

# Syntax For Customizing URL's Used To Share Views

The URL copied from the Share View URL window can be modified to control what parts of Viewer show when someone uses the URL. See the next table for details on all syntax that makes up a URL and that can optionally be added to the URL for customizing what displays with the grid or how the view is filtered. Here is an example URL, which runs the specified view with the Stratum View Pane and top panel hidden.

http://server-xyz:55001/StratumView.aspx?ViewId=386

## Main Syntax And Additional Syntax Options

Item	Format & Values	Required?
StratumHostURL and StratumView.aspx	The Stratum URL includes either the http:// or https:// preface, the Stratum.View.aspx syntax, the name of the Stratum server, and the port number.	Yes
file name	Example:	
	http://server-xyz:#####/StratumView.aspx where server-xyz is the name of the Stratum.Viewer server and ###### is its port number.	
Viewld	The unique identifier of the view to be run. ViewID=# where # is the ID assigned to the view by Stratum.Viewer.	Yes
	<b>Note:</b> Always use a question mark <b>?</b> to separate the Stratum.View.aspx file name and the View ID.	
Synta	x For Controlling What Parts Of The Stratum & View Interface Dis	play
Stratum View Pane and top panel syntax	Showing the View Pane allows users to run other views or access other features.	No
&SVP	To show, use &SVP=1	If syntax is not included, view
	To hide, use &SVP=0	pane and top panel are hidden.
Toolbar icons in grid toolbar syntax <b>&amp;T</b>	Showing the icons gives access to features such as Email View, Save As, and other functionality.	No If syntax is not
		included, toolbar icons will show.
	To show, use &T=1	
	To hide, use &T=0	
	<b>Note:</b> If you don't want any part of the toolbar to display and want to exclude the space typically reserved for it above the grid, use &T=0&P=0.	
Paging icons in grid toolbar syntax <b>&amp;P</b>	Showing the icons allows users to page through results if there are multiple pages of rows and columns.	No If syntax is not
	Show All COCO 1 to 50 of 102 COOO 1 to 5 of 5	included, paging icons will show.
	To show, use &P=1	
	To hide, use &P=0	

	<b>Note:</b> If you don't want any part of the toolbar to display and want to exclude the space typically reserved for it above the grid, use $\&T=0\&P=0.$	
View name above	To show, use &N=1	No
grid syntax <b>&amp;N</b>	To hide, use &N=0	If syntax is not included, view name will show.
Logo displayed above a view's grid (to right of the view name) syntax <b>&amp;VI</b>	To show, use &VI=1	No
	To hide, use &VI=0	If syntax is not included, logo will show (if one has been specified).
	<b>Note:</b> A logo that applies to all views can be defined in the Views section of the Application window by administrators. The logo is an image meant to show up above a view grid, to the right of a view's name. Setting the &VI to 1 won't have any impact on views run from a URL unless a logo has also been defined in the Application window.	
View Filter section	To show, use &VF=1	No
syntax <b>&amp;VF</b>	To hide, use &VF=0	If syntax is not included, view filter will show.
View explorer section syntax <b>&amp;VE</b>	To let the display of view explorer be controlled by the "User Options" of the person running the URL, exclude the &VE from the URL. Set the item to 0 or 1 if you prefer this syntax in the URL to control the display of view explorer. The URL will ignore the view explorer "User Options" setting of the person running the URL.	No If syntax is not included, user options control the view explorer display.
	To show, use &VE=1	
	To hide, use &VE=0	
Navigation Panel section syntax <b>&amp;NP</b>	To let the display of the navigation panel be controlled by the "User Options" of the person running the URL, exclude the &NP from the URL.	No If syntax is not included, user
	Set the item to 0 or 1 if you want this syntax in the URL to control the display of the navigation panel. The URL will ignore the navigation panel "User Options" setting of the person running the URL.	options control the navigation panel display.
	To show, use &NP=1	
	To hide, use &NP=0	
	Syntax For Passing Member Filters In URL's ( <u>examples</u> )	
Level Name and member values	If you want to filter the view for a particular value(s), specify the level name and value(s) for the level(s) that will be used to filter the view.	Optional; use if filtering by level members
	& <level name="">=<key value=""></key></level>	
	Example with one member specified:	

	&Region=300	
	Example with multiple members specified:	
	&Region=300;400	
	<b>Notes:</b> A semi-colon is typically used to separate multiple values specified for a single level. See the &D syntax in the next row of this table for more info and alternatives.	
	The specified values for each level in the URL will either be included or excluded from view results based on how the level filter is configured in the view. If the level has an existing filter, that filter's mode of Include or Exclude will be retained. If the level does not have an existing filter, then an Include filter will be added.	
Delimiter that is used between key values URL using a member filter. Syntax <b>&amp;D</b>	Defines the delimiter that is used between key values. Choose a delimiter that will not exist in your key values. For example, if your key values typically include a semi-colon, then you will need to choose a different delimiter. Do not use & or = as a delimiter.	Optional alternate
	Syntax For Passing Stratum Parameters In URL's (examples)	
Stratum Parameters &vp:	If your view uses Stratum Parameters and you want to specify a filter using the Stratum Parameters, the syntax is as follows.	Optional; use if filtering by Stratum
	&vp: <stratum member="" name="" parameter="" select="">=<values filter="" to=""></values></stratum>	Parameters
	&vp: <stratum down="" drop="" name="" parameter="">=<value filter="" to=""></value></stratum>	
	&vp: <stratum list="" name="" parameter="" user="">=<user filter="" id="" list="" to=""></user></stratum>	
	&vp: <stratum expression="" name="" parameter="">=<expression filter="" to=""></expression></stratum>	
	<b>Notes</b> : If you want all members considered by a Select Members or Drop Down parameter, then you need to specify "All <name of="" the<br="">hierarchy associated with the parameter&gt;" as the parameter value. The specified values for each parameter in the URL will either be included or excluded from view results based on how that parameter's Filter Mode is configured in Viewer. If a parameter has</name>	
	a mode of "Include", the values passed along to the view by the URL will be returned as part of view results. If a parameter has a mode of "Exclude", the values passed along the view by the URL will not be part of view results – all member values <b>except</b> the ones specified by the URL will be a part of view results.	
	Tips For Locating Info Used In URL's	
Where To Find View ID's	Search for the view using the top panel in Stratum and look at the ID in the View list window where search results show up. If you are already using the view, right-click its name and select Properties. The ID shows in the Properties window.	Yes
Where to Find Level Names	You can use either the level name or its caption in the URL syntax. The caption always displays in the grid when you run the view. Level names and their captions display in a level's Properties window. Right-click the level in the Stratum view or view explorer and select Properties.	Optional; use if filtering by level members

Where To Find Stratum Parameter Names	Any URL copied from the Share View URL window contains the names of parameters if the view has Stratum Parameters. The name of a parameter also can be found in view explorer. Right- click the associated view name in the Stratum View Pane and select Edit. Expand the parameter group for the parameter to see the parameter name. The name also shows in its Properties window, accessed by double-clicking the parameter in view explorer.	Optional; use if filtering by Stratum Parameters
Where To Find User List ID	A User List ID is needed if your URL references a User List Parameter. To find an ID, go to Stratum's User List list window and look at the List ID info for the list. If you have a list open in the User List Maintenance window, the List ID shows as one of the properties in the Attributes section of the window.	Optional; use if filtering by Stratum User List Parameter

# Legacy Syntax For Stratum View URL's

The Default.aspx and ViewWindow.aspx syntax has been replaced by the StratumView.aspx syntax. While the Default.aspx and ViewWindow.aspx syntax will continue to work, it is recommended that you convert any old syntax to use the new StratumView.aspx syntax. The old syntax is shown in the table below. We recommend replacing any references to Default.aspx and ViewWindow.aspx in old URL's with the newer page StratumView.aspx.

Full details about the latest syntax for URL's that run views can be found in the topic <u>Syntax For Customizing URL's</u> <u>Used To Share Views</u>.

Item	Old Format & Values	Required?
*.aspx file nameused in the URL	ViewWindow.aspx or Default.aspx	Yes
	<b>Note:</b> The *.aspx used determines if the top frame and left panel display. To show, Default.aspx is used in URL. To hide, ViewWindow.aspx is used in URL. As of Stratum 7.3, the top frame and left panel are known as the top panel and Stratum View Pane.	
Grid toolbar icons and paging icons	Two pieces of syntax are used in combination with each other to control whether all, some, or none of the toolbar shows above a view. They are IsHideToolbar and IsHideToobarIcon. Examples follow.	No If syntax is not included, toolbar
	To <b>show all parts of the toolbar</b> , leave the syntax at its default of &IsHideToolbar=false&IsHideToobarIcon=false in your URL.	and paging icons will show
	Image: Show All         Image: Sho	
	To <b>hide all parts of the toolbar</b> , use the syntax &IsHideToolbar=true&IsHideToobarIcon=true in your URL.	
	To hide the paging icons and <b>show just the main icons in the toolbar</b> , use the syntax &IsHideToolbar=true&IsHideToobarIcon=false in your URL.	
	To <b>show just the paging icons</b> and hide all other icons in the toolbar, use the syntax &IsHideToolbar=false&IsHideToobarIcon=true in your URL.	
	Show All COC 1 to 50 of 140 COC 1 to 10 of 17	

View name	To show, use IsHideViewName=False	No
above grid	To hide, use IsHideViewName=True	If syntax is not included, view name will show.
Logo displayed above a view's grid, to right of the view name	To show, use IsHideViewImage=False	No
	To hide, use IsHideViewImage=True	If syntax is not included, logo will show (if one has been specified).
	<b>Note:</b> A logo that applies to all views can be defined in the Views section of the Application window by administrators. The logo is an image meant to show up above a view grid, to the right of a view's name. Setting the IsHideViewImage to False won't have any impact on views run from a URL unless a logo has also been defined in the Application window.	
View Filter	To show, use IsHideViewFilter=False	No
section	To hide, use IsHideViewFilter=True	If syntax is not included, view filter will show.
View Explorer	To let the display of view explorer be controlled by the "User Options" of	No
	the person running the URL, leave IsHideExplorer blank or don't use the syntax in the URL. It's blank by default in URL's copied from the View URL window that's accessed from the Stratum View Pane.	If syntax is not included, user options control the view explorer display.
	IsHideViewExplorer=	
	Set the item to True or False if you want the URL to control the display of view explorer. The URL will ignore the view explorer "User Options" setting of the person running the URL.	
	To show, use IsHideExplorer=False	
	To hide, use IsHideExplorer=True	
Navigation Panel	To let the display of the navigation panel be controlled by the "User Options" of the person running the URL, leave IsHideNavigationPanel blank or don't use the syntax in the URL. It's blank by default in URL's copied from the View URL window that's accessed from the Stratum View Pane.	No If syntax is not included, user options control the navigation panel
	IsHideNavigationPanel=	display.
	Set the item to True or False if you want the URL to control the display of the navigation panel. The URL will ignore the navigation panel "User Options" setting of the person running the URL.	
	To show, use IsHideNavigationPanel=False	
	To hide, use IsHideNavigationPanel=True	
	Syntax For Passing Stratum Parameters In URL's (examples)	<u> </u>
Stratum Parameters	If your view uses Stratum Parameters and you want to specify a filter using the Stratum Parameters, the syntax is as follows.	Optional; use if filtering by Stratum
&vp:	&vp: <stratum member="" name="" parameter="" select="">=<values filter="" to=""></values></stratum>	Parameters
	&vp: <stratum down="" drop="" name="" parameter="">=<value filter="" to=""></value></stratum>	
	&vp: <stratum list="" name="" parameter="" user="">=<user filter="" id="" list="" to=""></user></stratum>	
	&vp: <stratum expression="" name="" parameter="">=<expression filter="" to=""></expression></stratum>	

<b>Notes</b> : If you want all members considered by a Select Members or Drop Down parameter, then you need to specify "All <name hierarchy<br="" of="" the="">associated with the parameter&gt;" as the parameter value.</name>
The specified values for each parameter in the URL will either be included or excluded from view results based on how that parameter's Filter Mode is configured in Viewer. If a parameter has a mode of "Include", the values passed along to the view by the URL will be returned as part of view results. If a parameter has a mode of "Exclude", the values passed along the view by the URL will not be part of view results – all member values <b>except</b> the ones specified by the URL will be a part of view results.